

ELEVATED DAMPER REGULATORS (E-SERIES)



Product Data Sheet



Features

All Metal Construction
Raised handle for ease of pivoting
14 GA handle for added durability
Heavy duty locking insert holds the rod firm to eliminate rattle noises

Description

Elgen's Elevated Damper Regulators are used on rectangular and round duct work. Using an elevated base allows for insulation to be flush with the handle. The size of the standoff is determined by the Engineer, or the thickness of the insulation.

Standard Construction

Handle is stamped from 14 GA ASTM A-653
Galvanized Steel
Base is stamped from 18 GA ASTM A-653
Galvanized Steel
Locking-insert are manufactured from Zamac material
Tie-nut is made from Grade 2 zinc plated.

Optional Construction

Stainless Steel 304
Stainless Steel 316
Aluminum

Packaging

Item#	Box Quantity	Shaft Size	Height
E-121	100	1/4"	1"
E-122	100	1/4"	1-1/2"
E-123	100	1/4"	2"
E-124	100	3/8"	1"
E-125	100	3/8"	1-1/2"
E-126	100	3/8"	2"
E-127	100	1/2"	1"
E-128	100	1/2"	1-1/2"
E-129	100	1/2"	2"

Guarantee

All Elgen products are guaranteed by Elgen Manufacturing against defective material.

Elgen Manufacturing
10 Railroad Ave, Closter NJ 07624
Tel: 800.503.9805 :: Fax: 201.964.9030
info@elgenmfg.com :: www.elgenmfg.com